PETITION FOR EXTENSION OF TIME UNDER 37 CFR 1.136(a)				(9)	Docket Number (Optional) 740105-108	
FY 2009				Filed 12/1	17/2004	
	Application Number 10/518,369				Filed 12/17/2004	
	For WALL CONSTRUCTION AND COMPONENT FOR THE SAME					
	Art Unit 3633			Examiner Branon C. Painter		
		quest under the provisions of 37 CFF ly in the above identified application		d the period for		
The requested extension and appropriate entity fee are as follows (check time period desired): Fee Small Entity Fee						
		One month (37 CFR 1.17(a)(1))	\$130	\$65	\$	
		Two months (37 CFR 1.17(a)(2))	\$490	\$245	\$	
	×	Three months (37 CFR 1.17(a)(3))	\$1110	\$555	\$ 555.00	
		Four months (37 CFR 1.17(a)(4))	\$1730	\$865	\$\frac{-245.00}{310.00}\$	
		Five months (37 CFR 1.17(a)(5))	\$2350	\$1175	\$	
×	Applicant claims small entity status. See 37 CFR 1.27.					
	A check to cover the fee is enclosed.					
	Payment by credit card. Form PTO-2038 is attached.					
	The Commissioner has already been authorized to charge fees in this application to a Deposit Account.					
×	The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment, to Deposit Account Number <u>50-2478(740105-108)</u> .					
WARNING: Information on this form may become public. Credit card information should not be included Provide credit card information and authorization on PTO-2038.					luded on this form.	
I am the □ applicant/inventor						
	□ assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).					
attorney or agent of record.						
	attorney or agent under 37 CFR 1.34. Registration fundament of acting under 37 CFR 1.34.					
		Simulation of the state of the	<u>M</u> a	y 12, 2009		
		Signature	700	Date 2272		
	*****	David S. Safran Typed or printed name		3-584-3273 Telephone Ni	umber	
,						
NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below.						